

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	1	709/245 and L3 and (master adj router)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 17:55
L3	1010	((router near4 network) same determining) and @ad<="20050218"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 17:55
L2	33	((TAISUKE) near2 (MATSUMOTO)). INV.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/11 17:55
L1	87	((HIROKAZU) near2 (KOBAYASHI)). INV.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/11 17:55
S23 6	87	((HIROKAZU) near2 (KOBAYASHI)). INV.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/11 16:36
S23 5	33	((TAISUKE) near2 (MATSUMOTO)). INV.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/11 16:35
S23 2	70	((monitor\$3 same link) near4 router) and S206	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 16:34
S23 1	22	((generat\$4 and transmit\$4) same ((binding adj update adj message) or information) same router same master) and S206	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 16:33
S23 0	2	(determin\$4 same router same work\$3 same (master adj router))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 16:33

EAST Search History

S22 9	4	(router) with determin\$3 with connection with lost with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 16:33
S22 8	42	((generat\$4 or transmit\$4) same ((binding adj update adj message) or information) same router same master) and @ad<="20050218" and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 16:33
S22 7	9	((generat\$4 or transmit\$4) same ((binding adj update adj message) or information)) and S206 and S225 and S226	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 16:31
S22 6	14	S225 and S223	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 16:31
S22 5	47	S224 and (node or point or terminal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 16:31
S22 4	55	(hub or router or accessing adj point) and (virtual adj router adj redundancy adj protocol) and @ad<"20040218" and master	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 16:31
S22 2	19	709/245 and S218 and (router same work\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 16:31

EAST Search History

S22 1	2	(determin\$4 same router same work\$3 same (master adj router))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 16:30
S22 0	149	(record\$3 same router same ((IP adj address) or (virtual adj address))) and @ad<="20050218" and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 16:30
S21 9	1	"709"/\$.ccls. and S218 and (router near work\$3 near router)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 16:30
S21 8	1010	((router near\$4 network) same determining) and @ad<="20050218"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 16:30
S21 6	22	((generat\$4 and transmit\$4) same ((binding adj update adj message) or information) same router same master) and S206	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 16:30
S21 3	4	(router) with determin\$3 with connection with lost with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 16:29
S21 2	3	709/245 and (router adj connects adj network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 16:28

EAST Search History

S21 0	66	Electronic adj Industrial.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 16:27
S20 9	6	(binding update message) and (advertisement packet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/11 16:27
S20 5	589	(gateway same (backbone adj network)) and @ad<="20030220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 16:25
S20 4	40	((mobile adj network) same (backbone adj network)) and @ad<="20030220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 16:25
S20 3	18	(router near2 connects near2 backbone) and @ad<="20030220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 16:25
S20 2	45	(mobile same backbone same virtual) and @ad<="20030220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 16:25
S20 1	34	(hub or router) and (virtual adj router adj redundancy adj protocol) and @ad<="20030220" and (node or point or terminal) and "709"/\$. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 16:24

EAST Search History

S20 0	76	(hub or router) and (virtual adj router adj redundancy adj protocol) and @ad<="20030220" and (node or point or terminal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 16:24
S19 9	76	(hub or router or accessing adj point) and (virtual adj router adj redundancy adj protocol) and @ad<="20030220" and (node or point or terminal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 16:24
S19 6	7	KUBAYASHI.INV.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/11 16:23